

Take-Off Sheet

Email:	Date:	Date Required By:
Ref#:	Customer Name:	Your Job#:
P.O.#:	Project Name:	
Project Address:		
Structural Engineer Required: Yes or No		If Yes, Engineer Name:

Double Glazed Storefront

Manufacturer:		Series:
Frame Type:		<input type="checkbox"/> Screw Spline
<input type="checkbox"/> Center Glazed	<input type="checkbox"/> Inside Set	<input type="checkbox"/> Stacked
<input type="checkbox"/> Front Glazed	<input type="checkbox"/> Outside Set	<input type="checkbox"/> Shear Block
<input type="checkbox"/> Back Glazed		Sealant Joint Size:
Deflection Channel: Yes or No	If Yes, Part#:	
Subsill: Yes or No	If Yes, Part#:	
Thermally Broken: Yes or No	Notes:	

Single Glazed Storefront

Manufacturer:		Series:
Frame Type:		<input type="checkbox"/> Screw Spline
<input type="checkbox"/> Center Glazed	<input type="checkbox"/> Inside Set	<input type="checkbox"/> Stacked
<input type="checkbox"/> Front Glazed	<input type="checkbox"/> Outside Set	<input type="checkbox"/> Shear Block
<input type="checkbox"/> Back Glazed		Sealant Joint Size:
Deflection Channel: Yes or No	If Yes, Part#:	
Subsill: Yes or No	If Yes, Part#:	
Thermally Broken: Yes or No	Notes:	

Curtainwall System

Manufacturer:	Series:
Glazing: S.S.G., S/G, or D/G	Sealant Joint Size:
Horizontal Part#:	Vertical Part#:
Cap Part#:	P. Plate Part#:

Windows

Manufacturer:	Series:
Frame Type:	Thermally Broken: Yes or No

Aluminum Doors: Exterior

Manufacturer:	Series:
Door Size:	Hinge Type: Center or Offset
Glazing: S/G or D/G	Standard Hardware: Yes or No
Closer: Surface or Concealed	
Hardware Notes:	

Aluminum Doors: Interior

Manufacturer:	Series:
Door Size:	Hinge Type: Center or Offset
Glazing: S/G or D/G	Standard Hardware: Yes or No
Closer: Surface or Concealed	
Hardware Notes:	

Frameless Glass

Manufacturer:	Series:
Continuous Shoe: Yes or No	Glazing Channels: Yes or No

Mirrors

J-Mold:	Mirror: 1/4"
<input type="checkbox"/> Top <input type="checkbox"/> Bottom <input type="checkbox"/> Both	Notes:

Other

Aluminum Finish:
Flashing/Breakshapes Thickness: 0.032, 0.040, 0.050, 0.060, or other
Caulking:
Steel Reinforcement:

Glazing Descriptions:

Type 1:
Type 2:
Type 3:
Type 4:
Type 5:
Type 6:
Type 7:
Type 8:

Special Instructions: